Yw

UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/852,056	05/10/2001	Hiroyuki Morimatsu	L7016.01113	3770

7590   06/29/2005

STEVENS, DAVIS, MILLER & MOSHER, LLP
1615 L Street, N.W., Suite 850
Washington, DC 20036

EXAMINER
THOMPSON, JAMES A

ART UNIT	PAPER NUMBER
2624	

DATE MAILED: 06/29/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 10/03)

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE _3_ MONTH(S) FROM
THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
  after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
  earned patent term adjustment. See 37 CFR 1.704(b). ·

Status

1)☒ Responsive to communication(s) filed on _31 March 2005_.

2a)☒ This action is **FINAL**. 2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☐ Claim(s) _____ is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) _5-11,14 and 16-19_ is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on _10 May 2001_ is/are: a)☒ accepted or b)☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a)☒ All b)☐ Some * c)☐ None of:

1.☒ Certified copies of the priority documents have been received.

2.☐ Certified copies of the priority documents have been received in Application No. _____.

3.☐ Copies of the certified copies of the priority documents have been received in this National Stage
application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)
2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3)☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
5)☐ Notice of Informal Patent Application (PTO-152)
6)☐ Other: _____.

DETAILED ACTION

Response to Arguments

1.   Applicant's arguments, see page 9, lines 4-7, filed 31
March 2005, with respect to the specification have been fully
considered and are persuasive. The objections to the
specification listed in items 3 and 4 of the previous office
action, dated 26 November 2004, have been withdrawn.

2.   Applicant's arguments filed 31 March 2005 have been fully
considered but they are not persuasive.

Applicant's arguments are directed to the newly added
claims and not the claims as filed prior to said previous office
action. The rejections based on prior art, including some new
grounds of rejection which have been necessitated by the present
amendments to the claims, are given in detail below.

Claim Rejections - 35 USC § 103

3.   The following is a quotation of 35 U.S.C. 103(a) which
forms the basis for all obviousness rejections set forth in this
Office action:

> (a) A patent may not be obtained though the invention is not
> identically disclosed or described as set forth in section 102 of this
> title, if the differences between the subject matter sought to be
> patented and the prior art are such that the subject matter as a whole
> would have been obvious at the time the invention was made to a person
> having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the
> invention was made.

4.   Claims 5-7, 9-11, 14 and 16-19 are rejected under 35 U.S.C.
103(a) as being unpatentable over Cooper (US Patent 5,696,602)
in view of Yu (US Patent 6,433,891 B1).

Regarding claims 17 and 18: Cooper discloses an image
processor (figure 12 of Cooper) comprising an image memory
(figure 12(222) of Cooper) for storing multi-valued image data
therein (column 15, lines 52-53 of Cooper); and pixel data
acquisition means (figure 12(228) of Cooper) for acquiring the
image data stored in said image memory on a pixel-by-pixel basis
(column 15, lines 16-20 of Cooper). Since digital data is
processed sequentially in a serial port (figure 12(218) of
Cooper) and thus transferred to said image memory, the data
obtained from said image memory and transferred to said pixel
data acquisition means must also be processed sequentially.
Sequential processing means that the digital data is processed
on a pixel-by-pixel basis.

Cooper further discloses dither matrix storage means
(figure 12(232) of Cooper) for storing a dither matrix (column
15, lines 54-56 and lines 61-63 of Cooper) of an irregular
disposition of dots, thereby said dot matrix having the
irregular disposition of dots of non-iterative distances between
dots plotted and those plotted just thereafter (column 13, lines
35-41 of Cooper); and threshold value data acquisition means
(figure 12 (214) and column 14, lines 58-65 of Cooper) for
acquiring threshold value data corresponding to the image data
from the dither matrix storage means (column 10, lines 16-20 of
Cooper), threshold value data corresponding to the image data on
the basis of an address of the image data inputted from said
pixel data acquisition means (figure 2B; column 10, lines 21-25;
and column 5, lines 33-38 of Cooper). The threshold values are
generated at specified addresses within the dither array and are
used to create the various gray levels (column 10, lines 16-20
of Cooper). The threshold value is based on the address, the

size of the dither array, and the range of gray level values
(column 10, lines 21-25 of Cooper). The dither array is tiled
and wrapped around the entire image data space (figure 2B and
column 5, lines 33-38 of Cooper). The threshold values are
therefore based on the addresses of each pixel of the image
data. The processor comprises a microprocessor (figure 12(214)
of Cooper) which has address lines, data lines, and control
lines and performs the various functions of the printer (column
14, lines 58-65 of Cooper). Since said microprocessor accesses
the various digital data addresses and the various memories
(column 14, lines 58-65 of Cooper), said microprocessor acquires
the threshold values and applies them to the addresses of the
image data.

Cooper further discloses a comparator (figure 12(230
(Rasterizer)) of Cooper) for comparing the image data of the
pixel unit inputted from said pixel data acquisition means with
the threshold value data inputted from said threshold value data
acquisition means to output a predetermined binary signal
(column 15, lines 53-59 of Cooper). In order to halftone a
digital image (column 15, lines 53-59 of Cooper), the pixel data
stored in the image memory and transferred to the pixel data
acquisition means must be compared with threshold values stored
in the threshold value data acquisition means. This is how
halftoning is performed, as is well-known in the art.

Cooper does not disclose expressly that said dots are
plotted by setting in a cell a plurality of candidate dots to be
next plotted adjacent to dots already disposed in the cell and
measuring the distance of each of said plurality of candidate
dots from a nearest one of said already disposed dots in order
to detect one candidate dot of longest distance among the

measured distances, plotting as a next dot the detected one dot
of the longest distance, and plotting sequentially such
candidate dots likewise detected.

Yu discloses setting in a cell a plurality of candidate
dots to be next plotted adjacent to dots already disposed in the
cell (figure 8(500) and column 11, lines 42-46 of Yu) and
measuring the distance of each of said plurality of candidate
dots from a nearest one of said already disposed dots in order
to detect one candidate dot of longest distance among the
measured distances (figure 8(520); column 11, lines 50-52 and
column 5, lines 48-59 of Yu), plotting as a next dot the
detected one dot of the longest distance (column 11, lines 50-52
of Yu), and plotting sequentially such candidate dots likewise
detected (column 11, lines 56-60 of Yu). The force field
equation used to determine the potential of a pixel, and thus
whether or not to turn the pixel on (column 5, lines 48-53 of
Yu), is based on the distance between previously turned on
pixels and currently off pixels (column 5, lines 53-59 of Yu).
Since the minimum potential is desired for turning on a pixel,
and the potential is based on a repulsive force that is an
inverse function of the distance (column 5, lines 50-59 of Yu),
then the distance between the on pixel and each off pixel is
calculated and the pixel that is next turned on is the pixel
with the maximum distance, since the maximum distance will yield
the minimum potential when the potential equation has an inverse
distance relation.

Cooper and Yu are combinable because they are from the same
field of endeavor, namely image dithering and dot growth. At
the time of the invention, it would have been obvious to a
person of ordinary skill in the art to use the stochastic

screening with regularity control using potential functions
taught by Yu for the dot growth pattern. The motivation for
doing so would have been that the dot growth method of Yu
provides smoothing, more detailed, and moiré-free prints (column
3, lines 11-13 of Yu) by compensating for the physical
limitations of printer which use electric charges to place the
print toner on the page (column 2, line 63 to column 3, line 3
of Yu). Therefore, it would have been obvious to combine Yu
with Cooper to obtain the invention as specified in claims 17
and 18.

Regarding claim 18: The apparatus of claim 17 performs the
method of claim 17.

Regarding claims 5 and 14: Cooper discloses that a density
between said dots in each cell is calculated on the basis of
distances between energy focused dots positioned in said
respective cells (column 6, lines 15-24 of Cooper). Minimizing
the variance, and thus the "cost function" of the dot placement,
creates an image that is most uniform in density (column 6,
lines 15-24 of Cooper). By basing the dot placement on the
variance of the dither matrix, a density between said dots in
each cell is calculated on the basis of distances between energy
focused dots positioned in said respective cells since the
variance is based on the distance between the dots positioned in
each cell (figure 11 and column 13, lines 42-49 of Cooper).

Regarding claim 6: Cooper discloses that said dots in each
cell are grown in a dot growth pattern so as to be most uniform
in density with respect to dots to be generated in the cell
adjacent to the cell of interest (column 5, lines 45-51 of
Cooper). By minimizing the variance in the MxN regions, the dot
growth pattern for the entire MxN set of regions is most uniform

in density (column 5, lines 45-51 of Cooper). Therefore, the
dots in each cell are grown in a dot growth pattern that is most
uniform with respect to dots to be generated in the cell
adjacent to the cell of interest, since said adjacent cell is a
part of the MxN set of regions.

Regarding claim 19: Cooper discloses that said dither
matrix is divided into a plurality of cells (figure 2B(4,5,6) of
Cooper), dot growth is made by arranging dots in each cell as
concentrated (column 13, lines 42-44 of Cooper) and making
growth patterns mutually different (column 13, lines 37-41 of
Cooper), and that said dots in said each cell are grown in a dot
growth pattern so as to be most uniform in density with respect
to dots to be generated in the cell adjacent to the cell of
interest (column 6, lines 15-24 of Cooper). Minimizing the
variance, and thus the "cost function" of the dot placement,
creates an image that is most uniform in density (column 6,
lines 15-24 of Cooper).

Regarding claims 7 and 16: Cooper discloses that said dot
density in the cell of interest is calculated on the basis of
distances from dots in the cells adjacent to the cell of
interest (column 6, lines 15-24 of Cooper). Minimizing the
variance, and thus the "cost function" of the dot placement, in
a MxN set of regions creates an image that is most uniform in
density (column 6, lines 15-24 of Cooper). By basing the dot
placement on the variance of the MxN set of regions (figure 11
and column 13, lines 42-49 of Cooper), and thus said adjacent
cells, a density between said dots in each cell is calculated on
the basis of distances from dots in the cells adjacent to the
cell of interest.

Regarding claim 9: Cooper discloses that said threshold values in said dither matrix are set differently in said different cells of the dither matrix (column 13, lines 37-41 of Cooper).

Regarding claim 10: Cooper said dots are set at any of a plurality of particular positions in said cells of said dither matrix (column 12, lines 7-15 of Cooper). Although the "cost function" governs the overall dot position selection in the dot profile (column 12, lines 7-12 of Cooper), the dot location is randomly selected from the available set of dots (column 12, lines 12-15 of Cooper). Hence, said dots are set at any of a plurality of particular position in said cells of said dither matrix.

Regarding claim 11: Cooper discloses that said growth patterns of said dots in said cells of said dither matrix are made to have an identical shape when a variation in the dot shape at the time of generating an identical size of dots causes a printing density of an actual printer to be largely changed (column 13, lines 11-20 of Cooper). By minimizing the isolated pixels to be printed, a particular printer which cannot print said isolated pixels well due to the characteristics of said printer (column 13, lines 11-16 of Cooper), which would cause some printing densities to be changed, the shape of said dot growth patterns of said dots in said cells of said dither matrix would be identical (column 13, lines 11-20 of Cooper).

5.   Claim 8 is rejected under 35 U.S.C. 103(a) as being
unpatentable over Cooper (US Patent 5,696,602) in view of Yu (US
Patent 6,433,891 B1) and Hashimoto (US Patent 5,424,854).

Regarding claim 8: Cooper in view of Yu does not disclose
expressly that said threshold values are set in said dither
matrix so that an average of set values in said each cell is an
intermediate value of density levels in said image data.

Hashimoto discloses that dot growth in a cell of the dither
matrix is made by arranging dots in a spiral dot growth pattern
(figure 4 and column 4, lines 41-47 of Hashimoto), wherein the
threshold values are incrementally increased from 1 to the
maximum pixel value (figure 4 of Hashimoto). In figure 4 of
Hashimoto, the incremental step for an 8x8 cell of the dither
matrix is 1. The average of the set of values for the cell is
32.5, which is intermediate value of density levels in said
image data. The density values in the image data are from 1 to
64 in this example (figure 4 of Hashimoto). The average of the
set of values (32.5) is the intermediate value.

Cooper in view of Yu is combinable with Hashimoto because
they are from the same field of endeavor, namely image dithering
and dot growth. At the time of the invention, it would have
been obvious to a person of ordinary skill in the art to
increase the threshold values of each element of the halftone
cells taught by Cooper in an incremental pattern, as taught by
Hashimoto. The motivation for doing so would have been that
arranging the dots in an incremental, spiral pattern allows one
to be able to obtain the same output image, even if resolutions
are changed (column 5, lines 11-15 of Hashimoto). Therefore, it
would have been obvious to combine Hashimoto with Cooper in view
of Yu to obtain the invention as specified in claim 8.

Conclusion

6.   Applicant's amendment necessitated the new ground(s) of
rejection presented in this Office action. Accordingly, **THIS
ACTION IS MADE FINAL.** See MPEP § 706.07(a). Applicant is
reminded of the extension of time policy as set forth in 37
CFR 1.136(a).

A shortened statutory period for reply to this final action
is set to expire THREE MONTHS from the mailing date of this
action. In the event a first reply is filed within TWO MONTHS
of the mailing date of this final action and the advisory action
is not mailed until after the end of the THREE-MONTH shortened
statutory period, then the shortened statutory period will
expire on the date the advisory action is mailed, and any
extension fee pursuant to 37 CFR 1.136(a) will be calculated
from the mailing date of the advisory action. In no event,
however, will the statutory period for reply expire later than
SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier
communications from the examiner should be directed to James A.
Thompson whose telephone number is 571-272-7441. The examiner
can normally be reached on 8:30AM-5:00PM.

If attempts to reach the examiner by telephone are
unsuccessful, the examiner's supervisor, David K. Moore can be
reached on 571-272-7437. The fax phone number for the
organization where this application or proceeding is assigned is
703-872-9306.

Information regarding the status of an application may be
obtained from the Patent Application Information Retrieval
(PAIR) system. Status information for published applications
may be obtained from either Private PAIR or Public PAIR. Status
information for unpublished applications is available through
Private PAIR only. For more information about the PAIR system,
see http://pair-direct.uspto.gov. Should you have questions on
access to the Private PAIR system, contact the Electronic
Business Center (EBC) at 866-217-9197 (toll-free).

James A. Thompson
Examiner
Art Unit 2624

JAT
10 June 2005

THOMAS D.
LEE
PRIMARY EXAMINER